

CHINA-WATER-METER.COM

SANLIAN WATER METER[HOME](#)[COMPANY BRIEF](#)[WATER METER](#)[CERTIFICATES](#)[CONTACT US](#)[E-MAIL](#)**Products Catalogue**

Home ---> Water Meter ----> Single-Jet Water Meter ---> LXS-13D

Volumetric

▶ Piston
Type
Water
Meter

Multi-Jet
▶ Water
Meter

Single-Jet
▶ Water
Meter

Dry-Dial
▶ Water
Meter

Wet-Dial
▶ Water
Meter

Liquid-
▶ sealed
Water
Meter

Woltman
▶ Type
Water
Meter

▶ Hot Water
Meter

▶ **LXS-13D Rotary Vane Wheel Single-jet Wet-Dial Cold Water Meter**



▶ **Application:**

This range of water meter is used to measure the total quantity of cold potable water which consumed in household or a resident unit, passing through the pipeline.

▶ **Feature:**

Wet-dial, Single-jet, Sensitive & Reliable. Measuring accuracy conform to ISO 4064 Class B.

▶ **Working Condition:**

Water temperature: ≤40°C

Working pressure: $\leq 1\text{MPa}$

► **Compliance With Standard:**

ISO 4064 Class B

► **Indicating Error:**

a) In the lower zone from $Q_{\min}$ inclusive up to but excluding Q_t is $\pm 5\%$

b) In the upper zone from Q_t inclusive up to and including Q_s is $\pm 2\%$



► **Main Technical Data:**

Type	Meter Size (mm)	Class	qs Max Flow	qp Nominal Flow	qt Transitional Flow	qmin Min Flow	Min Reading	Max. Reading
			m^3/h		l/h		m^3	
LXS-13D	13	A	3	1.5	150	60	0.0001	99999
		B			120	30		


► **Dimensions And Weight:**

Meter Size	Length	Width	Height	Connecting thread		Weight
mm	mm			D	d	kg
13	110	85	86	G 3/4B	R1/2	0.95

► **Head Loss Curve:**



► **Flow Error Curve:**



Fenghua *Sanlian* Water Meter Co., Ltd.

Add: West Road No. 68, Shangtian Town, Fenghua, Zhejiang, China

Tel: 86-0574-81802260 Fax: 86-0574-87774352 Postcode: 315511

E-mail: watermeter@163.com Contact: Jason Chang